

## Application News

No. GCMS-1503

Gas Chromatograph Mass Spectrometer

### Shimadzu Guide to US EPA Method 8260 for Analysis of Volatile Organic Compounds in Ground Water and Solid Waste

#### ■ Introduction

Environmental contamination has been at the forefront of government policy and regulation since the US EPA was established in 1970. Over the years the US EPA has developed, published, and updated multiple methods for analysis of environmental pollutants, and single-quadrupole gas chromatography-mass spectrometry (GC/MS) has long been the technique of choice for determination of volatile organic contaminants (VOCs). As efforts to provide dependable analytical methods have progressed, the GC/MS instrumentation has evolved, with improvements in sensitivity, reliability, and user experience, but there haven't been many significant advancements in the overall methodology since the mid-1980s.

The VOC methods are all run using the purge-and-trap (P&T) sample introduction technique; headspace is not allowed for drinking water or wastewater compliance testing in the US. The required US EPA methods for VOCs are US EPA Methods 524.2, 524.3, and 524.4 (Drinking Water), Method 624 (Waste Water), and Method 8260 (Groundwater and Solid Waste). US EPA Method 8260 is by far the most comprehensive in terms of the number of VOCs included in the compound list, with as many as 100 or more RCRA VOCs included for testing. The method is used to determine VOCs in a variety of solid waste matrices, is applicable to nearly all types of samples, regardless of water content, and is one of the most common VOC methods used by commercial testing laboratories today.

This application note describes analytical operating conditions for analysis of US EPA Method 8260C<sup>1</sup>, Revision 3, August 2006, and includes BFB tune

parameters, calibration details, and a complete MDL and Precision and Accuracy study for almost 100 target compounds at multiple concentrations.

#### ■ Experimental

This study was conducted using the Shimadzu GCMS-QP2010 SE shown in Figure 1, configured with a Restek capillary column designed specifically for analysis of VOCs by US EPA Methods mentioned above. The GC was operated in the unique Constant Linear Velocity mode to provide optimum chromatographic resolution, symmetric peak shape, and enhanced sensitivity for all compounds. A special, narrow ID inlet liner was used to minimize band broadening and retain ideal peak shape during transfer from the P&T, while still allowing high-split injections. Data were acquired in the full scan mode; quantitation and confirmation for most compounds were conducted using the quantitation and reference ion suggested in US EPA Method 8260C. Changes to quantitation and reference ions for a few selected compounds were made to improve overall sensitivity of the method.



Figure 1: Shimadzu GCMS-QP2010 SE

The EST Evolution P&T and Centurion Water/Soil Autosampler were used for the extraction, concentration, and sample introduction steps. The Evolution was configured with the optional sample heater to ensure that all samples were purged at precisely the same temperature for accuracy and precision of the data. The Centurion Water/Soil Autosampler was operated in the Water mode for this study; the Soil mode can also be used with similar results, albeit with slightly lower purge efficiency due to the needle sparging vs. frit sparging.

Each day before starting a sample sequence, the instrument was conditioned by cycling the P&T and VOCARB 3000 trap through two Bake cycles. Simultaneously, the oven, injection port, ion source, and MS interface temperatures were all raised to 220 °C for a minimum of one hour. The instrument bake-out procedure was run on all days, whether samples were analyzed or not. Complete instrument configuration and operating conditions are shown in Table 1.

**Table 1:** GC/MS and P&T Operating Conditions

|                                                       |                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Gas Chromatograph</b>                              | <b>GCMS-QP2010 SE</b>                                                                                                                                                                                                                                                                |
| Column                                                | SH-RXI-624Sil MS, 30 m x 0.25 mm x 1.4 µm (Shimadzu PN 221-75962-30)                                                                                                                                                                                                                 |
| Oven Program                                          | 45 °C, hold 0.1 minute<br>15 °C/minute to 220 °C, hold 3.5 minutes                                                                                                                                                                                                                   |
| Injector                                              | Split mode, split ratio 40:1<br>200 °C<br>Low Volume Split Liner (Shimadzu PN 220-90784-10)                                                                                                                                                                                          |
| Primary Column Carrier Gas<br>8260 Column Carrier Gas | Helium<br>Constant linear velocity mode, 36.2 cm/sec<br>Total Flow 44.1 mL/min, Column Flow = 1.0 mL/min<br>Purge Flow 3.0 mL/min                                                                                                                                                    |
| Interface Temperature                                 | 180 °C                                                                                                                                                                                                                                                                               |
| <b>Mass Spectrometer</b>                              | <b>GCMS-QP2010 SE</b>                                                                                                                                                                                                                                                                |
| Ion Source Temperature                                | 185 °C                                                                                                                                                                                                                                                                               |
| MS Operating Mode                                     | Full scan mode, m/z 35-270<br>Event time = 0.25 second/scan<br>Solvent cut time = 0.7 minute<br>Detector voltage set relative to tune + 0.1 kV<br>Threshold = 100<br>NOTE: Scan rate was adjusted to provide a minimum of 10-12 spectra across all GC peaks for optimum quantitation |
| <b>Purge-and-Trap Concentrator</b>                    | <b>EST Encon Evolution with Centurion Autosampler</b>                                                                                                                                                                                                                                |
| Sample Volume                                         | 5 mL                                                                                                                                                                                                                                                                                 |
| Sample Temperature at Purge                           | 40 °C                                                                                                                                                                                                                                                                                |
| Trap                                                  | VOCARB 3000                                                                                                                                                                                                                                                                          |
| Purge Flow Rate                                       | Helium, 40 mL/minute for 11 minutes                                                                                                                                                                                                                                                  |
| Dry Purge                                             | Helium, 40 mL/minute for 1 minute                                                                                                                                                                                                                                                    |
| Desorb                                                | 250 °C for 0.5 minute                                                                                                                                                                                                                                                                |
| Bake                                                  | 260 °C for 8.0 minutes                                                                                                                                                                                                                                                               |
| <b>Analysis Times</b>                                 |                                                                                                                                                                                                                                                                                      |
| GC Run Time                                           | 16 minutes                                                                                                                                                                                                                                                                           |
| System Cycle Time                                     | 26 minutes                                                                                                                                                                                                                                                                           |

## ■ Results and Discussion


### *BFB Tune Results*

At the beginning of the project the GCMS-QP2010 SE was tuned<sup>2</sup> to meet the US EPA Method 8260C requirements. Each day prior to running any samples, and at intervals of no longer than 12-hours during long sequences, an aliquot of the 4-bromofluorobenzene (BFB) was purged and analyzed using the method conditions shown in Table 1. The BFB spectra were evaluated using the

US EPA Method 8260C criteria. Since BFB was one of the Surrogate Standards added to all samples, the BFB spectrum was available for evaluation for every run. A representative example of a BFB chromatogram and spectrum are shown in Figure 2.

Table 2 lists the BFB results as compared to the method criteria from four selected analyses of BFB during one of the extended sequences. The BFB spectra met all method criteria for all samples evaluated throughout the project. The tune

remained stable throughout the project, approximately 6 weeks, and the GCMS-QP2010 SE instrument did not require re-tuning at any time during the analysis period.



| Mass (m/z) | Relative Abundance Criteria | Result | Status |
|------------|-----------------------------|--------|--------|
| 50         | 15 to 40% of 95             | 15.8   | Pass   |
| 75         | 30 to 60% of 95             | 40.1   | Pass   |
| 95         | Base Peak, 100%             | 100    | Pass   |
| 96         | 5 to 9% of 95               | 6.8    | Pass   |
| 173        | < 2% of 174                 | 0.45   | Pass   |
| 174        | > 50% of 95                 | 80.8   | Pass   |
| 175        | 5 to 9% of 174              | 6.7    | Pass   |
| 176        | > 95% but < 101% of 174     | 100.6  | Pass   |
| 177        | 5 to 9% of 176              | 5.9    | Pass   |

Figure 2: Typical Results from BFB Tune Evaluation Using US EPA Method 8260C Criteria


Table 2: Evaluation of BFB Spectra from 4 Different Runs across a Long Sequence, Compared to US EPA Method 8260C Criteria

| m/z | Spectrum Check Criteria            | Result |        | Result |        | Result |        | Result |        |
|-----|------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
|     |                                    | BFB    | Status | BFB    | Status | BFB    | Status | BFB    | Status |
| 50  | 15 to 40% of mass 95               | 15.2   | Pass   | 15.2   | Pass   | 15.5   | Pass   | 16.1   | Pass   |
| 75  | 30 to 60% of mass 95               | 38.1   | Pass   | 37.4   | Pass   | 35.9   | Pass   | 34.1   | Pass   |
| 95  | Base Peak, 100% Relative Abundance | 100    | Pass   | 100    | Pass   | 100    | Pass   | 100    | Pass   |
| 96  | 5 to 9% of mass 95                 | 6.8    | Pass   | 6.9    | Pass   | 6.7    | Pass   | 6.6    | Pass   |
| 173 | < 2% of mass 174                   | 0.48   | Pass   | 0.40   | Pass   | 0.54   | Pass   | 0.47   | Pass   |
| 174 | > 50% of mass 95                   | 79.9   | Pass   | 81.9   | Pass   | 81.5   | Pass   | 70.7   | Pass   |
| 175 | 5 to 9% of mass 174                | 7.1    | Pass   | 7.1    | Pass   | 6.9    | Pass   | 6.7    | Pass   |
| 176 | > 95% but < 101% of mass174        | 98.8   | Pass   | 99.8   | Pass   | 95.6   | Pass   | 98.9   | Pass   |
| 177 | 5 to 9% of mass 176                | 6.4    | Pass   | 6.5    | Pass   | 6.3    | Pass   | 6.0    | Pass   |

Initial Calibration and Continuing Calibration Verification

A series of nine initial calibration standards across the range of 0.5 to 200 µg/L (parts-per-billion, ppb) was prepared. The four internal standards (IS) were held constant at 50 µg/L, and the three surrogate standards (SURR) were held constant at 50 µg/L in

all samples analyzed. A total ion chromatogram (TIC) from a mid-point standard is shown in Figure 3, along with an expanded view of the chromatography of the early-eluting gases.



**Figure 3:** Total Ion Chromatogram from a mid-point Calibration Standard and EICP of the Six Light Gases. Peak numbers correspond to compound names shown in Tables 3, 4, and 5.

The calibration curve was evaluated two ways: using correlation coefficient ( $R^2$ ) from a linear regression, and using the percent relative standard deviation (% RSD) of the calculated response factors (RF) for each data point in the curve. The calibration curve was evaluated across three different concentration ranges (0.5 to 50 µg/L, 0.5 to 100 µg/L, and 0.5 to 200 µg/L) to accommodate any type of VOC project, and passed the US EPA Method 8260C criteria (RF % RSD < 20%) for all except two compounds over the three concentration ranges.

Continuing calibration verifications (CCV) standards were analyzed periodically throughout the project, as specified in US EPA Method 8260C. The CCV concentrations varied throughout the project to monitor the entire calibration range, and were calculated based on one of the calibration curves. Recoveries were typical for most US EPA VOC methods (80 to 120%). Complete statistical results for the initial calibration curve and three representative CCVs analyzed during the project are shown in Table 3.

Table 3: Statistical Results from the Initial Calibration and Three Representative CCVs

| Peak # | Compound Name               | 7-Point Calibration |        |         | 8-Point Calibration |        |         | 9-Point Calibration |        |         | CCV #1                   | CCV #2  | CCV #3  |
|--------|-----------------------------|---------------------|--------|---------|---------------------|--------|---------|---------------------|--------|---------|--------------------------|---------|---------|
|        |                             | 0.5 to 50 µg/L      |        |         | 0.5 to 100 µg/L     |        |         | 0.5 to 200 µg/L     |        |         | Calculated Concentration |         |         |
|        |                             | R <sup>2</sup>      | Avg RF | RF %RSD | R <sup>2</sup>      | Avg RF | RF %RSD | R <sup>2</sup>      | Avg RF | RF %RSD | 5 µg/L                   | 10 µg/L | 20 µg/L |
| 1      | Dichlorodifluoromethane     | 1.000               | 0.16   | 11.5    | 1.000               | 0.19   | 11.5    | 1.000               | 0.16   | 11.0    | 5.4                      | 9.9     | 19.5    |
| 2      | Chloromethane               | 1.000               | 0.36   | 6.9     | 1.000               | 0.40   | 7.1     | 1.000               | 0.36   | 7.0     | 5.9                      | 11.0    | 19.7    |
| 3      | Vinyl Chloride              | 1.000               | 0.49   | 8.0     | 1.000               | 0.53   | 8.6     | 1.000               | 0.47   | 8.7     | 5.7                      | 10.7    | 19.9    |
| 4      | Bromomethane                | 0.999               | 0.22   | 39.0    | 1.000               | 0.31   | 40.2    | 1.000               | 0.16   | 15.1    | 6.6                      | 12.6    | 19.6    |
| 5      | Chloroethane                | 1.000               | 0.30   | 11.1    | 1.000               | 0.35   | 11.0    | 0.999               | 0.30   | 10.3    | 5.5                      | 10.4    | 18.5    |
| 6      | Trichlorofluoromethane      | 1.000               | 0.29   | 9.6     | 1.000               | 0.35   | 10.2    | 1.000               | 0.28   | 10.1    | 5.6                      | 10.5    | 19.5    |
| 7      | Diethylether                | 1.000               | 0.29   | 8.7     | 1.000               | 0.30   | 8.3     | 0.999               | 0.29   | 8.0     | 5.5                      | 11.1    | 19.1    |
| 8      | 1,1,2-Trichlorofluoroethane | 1.000               | 0.23   | 9.1     | 1.000               | 0.27   | 9.3     | 0.998               | 0.23   | 8.7     | 5.3                      | 10.3    | 18.8    |
| 9      | 1,1-Dichloroethene          | 1.000               | 0.21   | 8.1     | 1.000               | 0.24   | 7.7     | 0.998               | 0.22   | 7.9     | 5.3                      | 10.3    | 18.6    |
| 10     | Acetone                     | 1.000               | 0.25   | 59.2    | 1.000               | 0.24   | 60.0    | 0.999               | 0.17   | 20.8    | 6.3                      | 11.3    | 14.2    |
| 11     | Iodomethane                 | 0.995               | 0.12   | 30.2    | 0.999               | 0.10   | 33.7    | 0.999               | 0.13   | 35.0    | 3.9                      | 9.4     | 21.0    |
| 12     | Carbon Disulfide            | 1.000               | 0.61   | 20.0    | 0.999               | 0.86   | 18.9    | 0.997               | 0.58   | 10.8    | 5.3                      | 9.9     | 17.2    |
| 13     | Acetonitrile                | 1.000               | 0.20   | 11.7    | 1.000               | 0.40   | 9.8     | 0.999               | 0.40   | 7.5     | 5.6                      | 11.2    | 18.1    |
| 14     | Methylene Chloride          | 1.000               | 0.23   | 33.7    | 1.000               | 0.38   | 33.4    | 0.996               | 0.19   | 11.9    | 5.1                      | 9.3     | 16.3    |
| 15     | Tert Butyl Alcohol          | 0.999               | 0.09   | 12.7    | 1.000               | 0.11   | 12.6    | 0.999               | 0.09   | 11.8    | 28.8                     | 51.3    | 98.0    |
| 16     | Acrylonitrile               | 1.000               | 0.20   | 11.7    | 1.000               | 0.23   | 11.8    | 0.999               | 0.20   | 11.1    | 5.8                      | 10.8    | 19.6    |
| 17     | MTBE                        | 1.000               | 0.72   | 6.8     | 1.000               | 0.79   | 6.3     | 0.998               | 0.73   | 7.4     | 5.6                      | 10.8    | 18.9    |
| 18     | trans-1,2-Dichloroethene    | 1.000               | 0.23   | 11.8    | 1.000               | 0.28   | 11.2    | 0.998               | 0.23   | 10.6    | 5.4                      | 10.3    | 18.6    |
| 19     | Vinyl Acetate               | 0.999               | 0.91   | 8.5     | 0.999               | 1.00   | 9.3     | 0.999               | 0.90   | 8.7     | 4.7                      | 8.3     | 17.6    |
| 20     | Isopropylether              | 1.000               | 0.78   | 5.5     | 0.999               | 0.84   | 5.1     | 0.999               | 0.79   | 5.5     | 5.6                      | 10.9    | 19.3    |
| 21     | 1,1-Dichloroethane          | 1.000               | 0.50   | 5.5     | 1.000               | 0.53   | 5.1     | 0.997               | 0.52   | 7.6     | 5.5                      | 10.4    | 18.9    |
| 22     | Ethyl Tert Butyl Ether      | 1.000               | 0.93   | 6.7     | 1.000               | 1.01   | 6.3     | 1.000               | 0.93   | 6.1     | 5.7                      | 11.3    | 19.7    |
| 23     | 2-Butanone                  | 1.000               | 1.16   | 61.1    | 1.000               | 2.57   | 62.4    | 0.998               | 1.05   | 61.9    | 6.2                      | 10.8    | 12.8    |
| 24     | Ethyl Acetate               | 0.999               | 0.06   | 21.8    | 1.000               | 0.09   | 21.1    | 0.998               | 0.06   | 19.7    | 5.3                      | 10.6    | 17.3    |
| 25     | cis-1,2-Dichloroethene      | 1.000               | 0.24   | 7.8     | 1.000               | 0.26   | 7.3     | 0.997               | 0.25   | 8.0     | 5.5                      | 10.5    | 19.1    |
| 26     | Propionitrile               | 0.999               | 0.09   | 7.1     | 1.000               | 0.09   | 7.1     | 0.998               | 9.00   | 9.9     | 5.4                      | 10.3    | 19.5    |
| 27     | 2,2-Dichloropropane         | 1.000               | 0.25   | 10.5    | 1.000               | 0.29   | 10.0    | 0.997               | 0.25   | 10.0    | 4.6                      | 9.0     | 15.5    |
| 28     | Methyl Acrylate             | 1.000               | 0.44   | 7.0     | 1.000               | 0.46   | 6.8     | 0.999               | 0.44   | 6.7     | 5.8                      | 11.0    | 19.4    |
| 29     | Methacrylonitrile           | 1.000               | 0.24   | 9.7     | 1.000               | 0.27   | 9.3     | 0.999               | 0.24   | 8.8     | 5.7                      | 10.9    | 19.3    |
| 30     | Bromochloromethane          | 0.999               | 0.14   | 18.3    | 1.000               | 0.18   | 17.8    | 0.998               | 0.14   | 16.7    | 5.8                      | 10.7    | 18.4    |
| 31     | THF                         | 1.000               | 0.21   | 37.1    | 1.000               | 0.35   | 36.6    | 0.998               | 0.17   | 9.4     | 6.2                      | 11.1    | 16.3    |
| 32     | Chloroform                  | 1.000               | 0.27   | 8.9     | 1.000               | 0.31   | 8.7     | 0.998               | 0.27   | 8.3     | 5.5                      | 10.6    | 18.6    |
| 33     | Pentafluorobenzene (IS)     | ISTD                | ISTD   | ISTD    | ISTD                | ISTD   | ISTD    | ISTD                | ISTD   | ISTD    | 50.0                     | 50.0    | 50.0    |
| 34     | Dibromofluoromethane (SURR) | NA                  | 0.44   | 1.4     | NA                  | 0.44   | 1.5     | NA                  | 0.44   | 2.0     | 50.7                     | 50.4    | 51.0    |
| 35     | 1,1,1-Trichloroethane       | 1.000               | 0.25   | 5.6     | 1.000               | 0.25   | 6.6     | 0.999               | 0.25   | 5.0     | 5.5                      | 10.4    | 18.3    |
| 36     | 1,1-Dichloropropene         | 0.910               | 0.22   | 7.8     | 0.999               | 0.26   | 7.4     | 0.994               | 0.26   | 11.0    | 5.3                      | 10.1    | 18.2    |
| 37     | Carbon Tetrachloride        | 1.000               | 0.21   | 4.0     | 1.000               | 0.22   | 3.8     | 0.997               | 0.22   | 7.4     | 5.2                      | 10.2    | 19.1    |
| 38     | Methyl Acetate              | 1.000               | 0.59   | 8.8     | 1.000               | 0.67   | 8.6     | 0.998               | 0.59   | 8.2     | 5.7                      | 10.9    | 19.1    |
| 39     | Benzene                     | 1.000               | 0.80   | 8.8     | 0.999               | 0.93   | 8.2     | 0.999               | 0.81   | 8.2     | 5.5                      | 10.5    | 18.5    |
| 40     | 1,2-Dichloroethane          | 1.000               | 0.17   | 8.4     | 1.000               | 0.18   | 8.7     | 1.000               | 0.17   | 8.3     | 5.6                      | 10.9    | 18.9    |
| 41     | Isobutyl Alcohol            | 1.000               | 0.58   | 9.0     | 1.000               | 0.57   | 8.4     | 0.998               | 0.58   | 7.8     | 3.9                      | 11.0    | 19.3    |
| 42     | Tert Amyl Methyl Ether      | 1.000               | 0.66   | 6.0     | 0.999               | 0.70   | 5.7     | 0.997               | 0.68   | 8.3     | 5.5                      | 10.8    | 19.0    |
| 43     | 1,4-Difluorobenzene (IS)    | ISTD                | ISTD   | ISTD    | ISTD                | ISTD   | ISTD    | ISTD                | ISTD   | ISTD    | 50.0                     | 50.0    | 50.0    |
| 44     | Trichloroethene             | 1.000               | 0.12   | 9.1     | 0.998               | 0.14   | 8.5     | 0.995               | 0.12   | 11.4    | 5.3                      | 11.0    | 18.4    |
| 45     | Methyl Methacrylate         | 0.999               | 0.14   | 13.1    | 0.999               | 0.16   | 12.1    | 0.995               | 0.14   | 13.3    | 5.2                      | 10.1    | 17.8    |
| 46     | 1,2-Dichloropropane         | 1.000               | 0.14   | 6.2     | 0.999               | 0.15   | 6.0     | 0.996               | 0.15   | 9.5     | 5.3                      | 10.6    | 18.2    |
| 47     | Propyl Acetate              | 1.000               | 0.28   | 8.2     | 1.000               | 0.29   | 7.6     | 0.998               | 0.28   | 7.8     | 5.5                      | 10.8    | 19.2    |
| 48     | 1,4-Dioxane                 | 0.999               | 0.00   | 26.6    | 0.999               | 0.00   | 24.2    | 0.999               | 0.00   | 10.4    | 5.9                      | 22.7    | 41.7    |
| 49     | Dibromomethane              | 1.000               | 0.07   | 10.3    | 1.000               | 0.08   | 9.9     | 0.998               | 0.07   | 9.4     | 5.6                      | 10.6    | 18.2    |
| 50     | Bromodichloromethane        | 1.000               | 0.10   | 9.5     | 1.000               | 0.08   | 8.8     | 0.999               | 0.10   | 8.5     | 5.5                      | 11.1    | 19.2    |
| 51     | 2-Nitropropane              | 0.997               | 0.04   | 9.2     | 0.999               | -      | 9.6     | 0.999               | 0.04   | 11.4    | 4.8                      | 9.3     | 17.9    |
| 52     | 2-Chloroethylvinylether     | 1.000               | 0.19   | 4.9     | 1.000               | 0.19   | 5.4     | 0.997               | 0.19   | 6.0     | 5.7                      | 11.1    | 18.3    |
| 53     | cis-1,3-Dichloropropane     | 1.000               | 0.16   | 8.2     | 0.999               | 0.17   | 7.6     | 0.998               | 0.16   | 8.4     | 5.3                      | 10.5    | 18.3    |
| 54     | 4-Methyl-2-pentanone        | 1.000               | 0.24   | 7.3     | 1.000               | 0.25   | 7.0     | 0.999               | 0.24   | 6.8     | 5.6                      | 11.1    | 19.3    |
| 55     | Toluene-d8 (SURR)           | NA                  | 0.96   | 1.3     | NA                  | 0.94   | 1.2     | NA                  | 0.96   | 1.4     | 50.3                     | 50.7    | 50.3    |
| 56     | Toluene                     | 1.000               | 0.30   | 12.2    | 1.000               | 0.35   | 11.9    | 0.998               | 0.30   | 11.3    | 5.2                      | 10.1    | 17.7    |
| 57     | trans-1,3-Dichloropropene   | 1.000               | 0.14   | 4.9     | 0.999               | 0.14   | 5.2     | 0.996               | 0.14   | 9.7     | 5.1                      | 10.4    | 18.1    |
| 58     | Ethyl Methacrylate          | 0.999               | 0.21   | 11.5    | 0.999               | 0.25   | 10.7    | 0.995               | 0.21   | 12.7    | 5.0                      | 10.2    | 17.8    |
| 59     | 1,1,2-Trichloroethane       | 1.000               | 0.11   | 8.3     | 1.000               | 0.11   | 8.3     | 0.999               | 0.11   | 7.8     | 5.6                      | 11.0    | 19.0    |
| 60     | Tetrachloroethane           | 0.998               | 0.11   | 7.3     | 0.988               | 0.12   | 13.9    | 0.993               | 0.12   | 21.4    | 7.3                      | 15.0    | 23.2    |
| 61     | 1,3-Dichloropropane         | 0.999               | 0.16   | 6.2     | 0.999               | 0.17   | 5.9     | 0.995               | 0.17   | 10.1    | 5.4                      | 10.5    | 18.1    |
| 62     | 2-Hexanone                  | 0.999               | 0.19   | 8.2     | 1.000               | 0.21   | 7.6     | 0.998               | 0.19   | 8.4     | 5.6                      | 10.7    | 18.9    |
| 63     | Isopropyl Acetate           | 0.999               | 0.06   | 8.1     | 1.000               | 0.06   | 7.6     | 0.998               | 0.06   | 7.8     | 5.4                      | 10.7    | 18.9    |
| 64     | Butyl Acetate               | 0.999               | 0.17   | 10.2    | 1.000               | 0.19   | 10.0    | 0.999               | 0.17   | 9.4     | 5.5                      | 10.8    | 18.9    |

Table 3: continued

| Peak # | Compound Name               | 7-Point Calibration |        |         | 8-Point Calibration |        |         | 9-Point Calibration |        |         | CCV #1                   | CCV #2  | CCV #3  |
|--------|-----------------------------|---------------------|--------|---------|---------------------|--------|---------|---------------------|--------|---------|--------------------------|---------|---------|
|        |                             | 0.5 to 50 µg/L      |        |         | 0.5 to 100 µg/L     |        |         | 0.5 to 200 µg/L     |        |         | Calculated Concentration |         |         |
|        |                             | R <sup>2</sup>      | Avg RF | RF %RSD | R <sup>2</sup>      | Avg RF | RF %RSD | R <sup>2</sup>      | Avg RF | RF %RSD | 5 µg/L                   | 10 µg/L | 20 µg/L |
| 65     | Dibromochloromethane        | 0.999               | 0.08   | 4.9     | 0.999               | 0.09   | 5.0     | 0.998               | 0.09   | 8.1     | 5.1                      | 10.7    | 19.0    |
| 66     | 1,2-Dibromoethane           | 1.000               | 0.12   | 7.4     | 1.000               | 0.12   | 7.1     | 0.999               | 0.12   | 6.8     | 5.7                      | 11.4    | 19.1    |
| 67     | Chlorobenzene-d5 (IS)       | ISTD                | ISTD   | ISTD    | ISTD                | ISTD   | ISTD    | ISTD                | ISTD   | ISTD    | 50.0                     | 50.0    | 50.0    |
| 68     | Chlorobenzene               | 1.000               | 0.47   | 8.3     | 1.000               | 0.52   | 7.7     | 0.999               | 0.47   | 7.3     | 5.3                      | 10.5    | 18.9    |
| 69     | 1,1,1,2-Tetrachloroethane   | 0.999               | 0.12   | 17.9    | 0.998               | 0.15   | 16.6    | 0.996               | 0.11   | 13.6    | 5.1                      | 10.3    | 18.6    |
| 70     | Ethylbenzene                | 1.000               | 0.60   | 8.2     | 0.999               | 0.66   | 7.7     | 1.000               | 0.59   | 7.8     | 5.4                      | 10.6    | 18.8    |
| 71     | Xylene (m&p)                | 1.000               | 0.48   | 8.1     | 0.999               | 0.52   | 7.6     | 0.993               | 0.46   | 10.8    | 10.9                     | 21.5    | 38.3    |
| 72     | Xylene (o)                  | 1.000               | 0.47   | 8.2     | 0.999               | 0.50   | 7.7     | 0.999               | 0.47   | 7.3     | 5.4                      | 10.6    | 18.6    |
| 73     | Styrene                     | 1.000               | 0.52   | 5.9     | 0.999               | 0.55   | 5.6     | 1.000               | 0.52   | 5.2     | 5.3                      | 10.8    | 19.1    |
| 74     | n-Amyl Acetate              | 1.000               | 0.29   | 8.7     | 1.000               | 0.30   | 8.3     | 0.999               | 0.29   | 7.8     | 5.6                      | 11.1    | 19.1    |
| 75     | Bromoform                   | 0.999               | 0.08   | 11.4    | 0.999               | 0.09   | 10.6    | 0.999               | 0.08   | 10.6    | 4.9                      | 9.8     | 18.3    |
| 76     | Isopropylbenzene            | 1.000               | 2.01   | 9.2     | 0.999               | 2.25   | 8.6     | 0.998               | 1.97   | 9.6     | 5.7                      | 10.8    | 18.8    |
| 77     | BFB(SURR)                   | NA                  | 1.02   | 1.3     | NA                  | 1.03   | 1.4     | NA                  | 1.02   | 1.5     | 51.2                     | 51.1    | 49.9    |
| 78     | 1,1,2,2-Tetrachloroethane   | 0.999               | 0.44   | 12.1    | 1.000               | 0.52   | 12.2    | 0.999               | 0.44   | 11.5    | 5.2                      | 9.9     | 18.0    |
| 79     | Bromobenzene                | 0.999               | 0.41   | 9.5     | 0.999               | 0.46   | 9.1     | 0.997               | 0.41   | 9.2     | 5.4                      | 10.4    | 17.5    |
| 80     | 1,2,3-Trichloropropane      | 1.000               | 0.63   | 7.1     | 0.998               | 0.63   | 7.0     | 0.995               | 0.65   | 11.7    | 5.4                      | 10.4    | 17.6    |
| 81     | n-Propylbenzene             | 0.999               | 1.77   | 8.7     | 0.999               | 1.95   | 8.5     | 1.000               | 1.74   | 8.8     | 5.6                      | 10.9    | 18.7    |
| 82     | 2-Chlorotoluene             | 0.999               | 0.39   | 7.9     | 0.998               | -      | 7.3     | 0.994               | 0.40   | 12.2    | 5.3                      | 10.2    | 17.4    |
| 83     | 1,3,5-Trimethylbenzene      | 1.000               | 1.64   | 8.4     | 0.999               | 1.81   | 7.8     | 1.000               | 1.62   | 7.7     | 5.6                      | 10.8    | 18.5    |
| 84     | 4-Chlorotoluene             | 0.999               | 0.40   | 9.5     | 0.997               | 0.46   | 8.9     | 0.994               | 0.42   | 12.9    | 5.2                      | 10.1    | 17.6    |
| 85     | tert-Butylbenzene           | 1.000               | 1.36   | 19.3    | 0.998               | 1.81   | 18.0    | 0.998               | 1.36   | 16.9    | 5.3                      | 10.2    | 17.8    |
| 86     | 1,2,4-Trimethylbenzene      | 1.000               | 1.64   | 7.9     | 0.999               | 1.81   | 7.4     | 1.000               | 1.62   | 7.3     | 5.6                      | 10.8    | 18.5    |
| 87     | sec-Butylbenzene            | 1.000               | 0.37   | 11.5    | 0.998               | 0.40   | 9.6     | 0.998               | 0.36   | 9.6     | 5.3                      | 10.3    | 17.6    |
| 88     | 1,3-Dichlorobenzene         | 1.000               | 0.72   | 8.4     | 0.998               | 0.79   | 7.7     | 0.995               | 0.74   | 10.2    | 5.3                      | 10.5    | 17.9    |
| 89     | Isopropyltoluene            | 1.000               | 1.47   | 6.3     | 0.997               | 1.66   | 8.1     | 0.999               | 1.52   | 8.2     | 5.3                      | 10.2    | 17.9    |
| 90     | 1,4-Dichlorobenzene-d4 (IS) | ISTD                | ISTD   | ISTD    | ISTD                | ISTD   | ISTD    | ISTD                | ISTD   | ISTD    | 50.0                     | 50.0    | 50.0    |
| 91     | 1,4-Dichlorobenzene         | 1.000               | 0.76   | 11.8    | 0.999               | 0.88   | 11.3    | 0.997               | 0.76   | 10.9    | 5.4                      | 10.5    | 17.5    |
| 92     | n-Butylbenzene              | 1.000               | 1.07   | 9.2     | 0.999               | 1.22   | 8.9     | 0.998               | 1.07   | 8.7     | 5.5                      | 10.6    | 18.2    |
| 93     | 1,2-Dichlorobenzene         | 1.000               | 0.68   | 10.9    | 0.999               | 0.80   | 10.3    | 0.998               | 0.68   | 10.0    | 5.4                      | 10.6    | 18.0    |
| 94     | 1,2-Dibromo-3-chloropropane | 0.999               | 0.15   | 8.9     | 1.000               | 0.15   | 8.8     | 0.999               | 0.14   | 8.3     | 5.2                      | 10.8    | 18.8    |
| 95     | Nitrobenzene                | 0.998               | 0.01   | 10.3    | 0.999               | 0.01   | 10.0    | 0.992               | 0.01   | 21.8    | 4.6                      | 9.7     | 15.5    |
| 96     | 1,2,4-Trichlorobenzene      | 1.000               | 0.35   | 8.0     | 0.998               | 0.40   | 7.6     | 0.996               | 0.37   | 10.7    | 5.4                      | 10.4    | 17.3    |
| 97     | Hexachlorobutadiene         | 0.999               | 0.14   | 7.5     | 1.000               | 0.14   | 7.5     | 0.999               | 0.14   | 7.1     | 5.7                      | 10.7    | 18.1    |
| 98     | Naphthalene                 | 0.999               | 1.48   | 13.4    | 0.999               | 1.81   | 12.4    | 0.999               | 1.49   | 11.7    | 5.3                      | 10.5    | 17.6    |
| 99     | 1,2,3-Trichlorobenzene      | 0.999               | 0.34   | 12.9    | 0.999               | 0.42   | 11.9    | 0.997               | 0.35   | 12.4    | 5.2                      | 10.1    | 17.1    |

### Method Detection Limit Study

A Method Detection Limit (MDL) study<sup>3</sup> was conducted by analyzing 8 replicate aliquots each of the 0.5 and 1.0 µg/L standards. The MDLs were calculated using the procedure outlined in the

Federal Register, and all MDLs easily met the criteria. The MDL study results at both concentrations are shown in table 4.

**Table 4:** Method Detection Limit (MDL) Study Results

| Peak # | Compound Name               | 0.5 µg/L<br>n = 8 |      | 1.0 µg/L<br>n = 8 |      |
|--------|-----------------------------|-------------------|------|-------------------|------|
|        |                             | % RSD             | MDL  | % RSD             | MDL  |
| 1      | Dichlorodifluoromethane     | 5.4               | 0.10 | 9.1               | 0.35 |
| 2      | Chloromethane               | 7.1               | 0.15 | 6.2               | 0.29 |
| 3      | Vinyl Chloride              | 5.2               | 0.10 | 7.2               | 0.34 |
| 4      | Bromomethane                | 12.3              | 0.35 | 5.0               | 0.27 |
| 5      | Chloroethane                | 5.9               | 0.11 | 12.9              | 0.50 |
| 6      | Trichlorofluoromethane      | 5.6               | 0.11 | 8.6               | 0.39 |
| 7      | Diethylether                | 4.6               | 0.09 | 4.1               | 0.17 |
| 8      | 1,1,2-Trichlorofluoroethane | 4.6               | 0.08 | 6.4               | 0.26 |
| 9      | 1,1-Dichloroethene          | 6.0               | 0.11 | 7.6               | 0.32 |
| 10     | Acetone                     | 16.9              | 0.61 | 5.9               | 0.29 |
| 11     | Iodomethane                 | 18.7              | 0.28 | 11.5              | 0.34 |
| 12     | Carbon Disulfide            | 13.4              | 0.31 | 2.6               | 0.10 |
| 13     | Acetonitrile                | 12.0              | 0.29 | 6.1               | 0.26 |
| 14     | Methylene Chloride          | 3.1               | 0.09 | 4.7               | 0.22 |
| 15     | Tert Butyl Alcohol          | 14.0              | 1.41 | 7.3               | 1.43 |
| 16     | Acrylonitrile               | 8.1               | 0.17 | 7.1               | 0.32 |
| 17     | MTBE                        | 3.7               | 0.06 | 5.2               | 0.19 |
| 18     | trans-1,2-Dichloroethene    | 8.6               | 0.16 | 4.4               | 0.19 |
| 19     | Vinyl Acetate               | 12.4              | 0.21 | 11.4              | 0.43 |
| 20     | Isopropylether              | 3.8               | 0.07 | 6.3               | 0.26 |
| 21     | 1,1-Dichloroethane          | 5.9               | 0.10 | 4.6               | 0.17 |
| 22     | Ethyl Tert Butyl Ether      | 3.5               | 0.06 | 4.3               | 0.18 |
| 23     | 2-Butanone                  | 17.4              | 0.67 | 2.9               | 0.14 |
| 24     | Ethyl Acetate               | 23.0              | 0.46 | 12.6              | 0.56 |
| 25     | cis-1,2-Dichloroethene      | 8.2               | 0.16 | 6.4               | 0.27 |
| 26     | Propionitrile               | 7.9               | 0.16 | 26.2              | 1.09 |
| 27     | 2,2-Dichloropropane         | 8.2               | 0.12 | 5.1               | 0.14 |
| 28     | Methyl Acrylate             | 5.4               | 0.10 | 5.9               | 0.25 |
| 29     | Methacrylonitrile           | 4.2               | 0.08 | 4.3               | 0.17 |
| 30     | Bromochloromethane          | 6.0               | 0.13 | 5.6               | 0.24 |
| 31     | THF                         | 5.8               | 0.16 | 5.0               | 0.23 |
| 32     | Chloroform                  | 6.4               | 0.12 | 5.1               | 0.21 |
| 33     | Pentafluorobenzene (IS)     | NA                | NA   | NA                | NA   |
| 34     | Dibromofluoromethane (SURR) | 1.7               | 2.55 | 1.6               | 2.29 |
| 35     | 1,1,1-Trichloroethane       | 4.3               | 0.08 | 5.1               | 0.21 |
| 36     | 1,1-Dichloropropene         | 8.8               | 0.16 | 5.5               | 0.20 |
| 37     | Carbon Tetrachloride        | 8.2               | 0.12 | 8.5               | 0.29 |
| 38     | Methyl Acetate              | 4.8               | 0.09 | 4.2               | 0.16 |
| 39     | Benzene                     | 4.3               | 0.08 | 4.4               | 0.17 |
| 40     | 1,2-Dichloroethane          | 3.1               | 0.06 | 5.3               | 0.25 |
| 41     | Isobutyl Alcohol            | 3.4               | 0.06 | 5.0               | 0.20 |
| 42     | Tert Amyl Methyl Ether      | 5.9               | 0.10 | 4.3               | 0.16 |
| 43     | 1,4-Difluorobenzene (IS)    | NA                | NA   | NA                | NA   |
| 44     | Trichloroethene             | 6.2               | 0.12 | 8.7               | 0.37 |
| 45     | Methyl Methacrylate         | 9.8               | 0.19 | 7.0               | 0.29 |
| 46     | 1,2-Dichloropropane         | 10.4              | 0.18 | 4.1               | 0.16 |
| 47     | Propyl Acetate              | 3.4               | 0.06 | 4.2               | 0.18 |
| 48     | 1,4-Dioxane                 | 21.3              | 0.80 | 36.6              | 2.70 |
| 49     | Dibromomethane              | 5.9               | 0.12 | 6.9               | 0.30 |
| 50     | Bromodichloromethane        | 5.9               | 0.11 | 7.1               | 0.31 |
| 51     | 2-Nitropropane              | 14.3              | 0.25 | 22.0              | 0.74 |
| 52     | 2-Chloroethylvinylether     | 9.9               | 0.17 | 6.7               | 0.24 |
| 53     | cis-1,3-Dichloropropane     | 3.6               | 0.06 | 4.9               | 0.18 |

Table 4: continued

| Peak # | Compound Name               | 0.5 µg/L<br>n = 8 |      | 1.0 µg/L<br>n = 8 |      |
|--------|-----------------------------|-------------------|------|-------------------|------|
|        |                             | % RSD             | MDL  | % RSD             | MDL  |
| 54     | 4-Methyl-2-pentanone        | 3.1               | 0.06 | 5.0               | 0.22 |
| 55     | Toluene-d8 (SURRE)          | 1.3               | 2.08 | 1.6               | 2.58 |
| 56     | Toluene                     | 2.8               | 0.06 | 5.6               | 0.26 |
| 57     | trans-1,3-Dichloropropene   | 7.7               | 0.14 | 4.4               | 0.17 |
| 58     | Ethyl Methacrylate          | 4.6               | 0.08 | 5.6               | 0.22 |
| 59     | 1,1,2-Trichloroethane       | 10.1              | 0.19 | 4.7               | 0.22 |
| 60     | Tetrachloroethane           | 18.0              | 0.34 | 26.4              | 1.08 |
| 61     | 1,3-Dichloropropane         | 2.8               | 0.05 | 3.1               | 0.13 |
| 62     | 2-Hexanone                  | 4.5               | 0.09 | 5.6               | 0.24 |
| 63     | Isopropyl Acetate           | 5.0               | 0.09 | 10.9              | 0.43 |
| 64     | Butyl Acetate               | 4.7               | 0.09 | 4.5               | 0.19 |
| 65     | Dibromochloromethane        | 6.1               | 0.10 | 4.7               | 0.18 |
| 66     | 1,2-Dibromoethane           | 4.2               | 0.08 | 5.9               | 0.27 |
| 67     | Chlorobenzene-d5 (IS)       | NA                | NA   | NA                | NA   |
| 68     | Chlorobenzene               | 4.7               | 0.09 | 5.4               | 0.23 |
| 69     | 1,1,1,2-Tetrachloroethane   | 11.7              | 0.26 | 15.9              | 0.70 |
| 70     | Ethylbenzene                | 3.0               | 0.06 | 6.8               | 0.31 |
| 71     | Xylene (m&p)                | 4.3               | 0.17 | 5.7               | 0.53 |
| 72     | Xylene (o)                  | 3.7               | 0.07 | 6.3               | 0.29 |
| 73     | Styrene                     | 3.7               | 0.07 | 3.2               | 0.14 |
| 74     | n-Amyl Acetate              | 7.1               | 0.13 | 4.9               | 0.21 |
| 75     | Bromoform                   | 14.7              | 0.26 | 5.6               | 0.22 |
| 76     | Isopropylbenzene            | 4.4               | 0.08 | 3.6               | 0.14 |
| 77     | BFB(SURRE)                  | 1.6               | 2.41 | 0.6               | 0.92 |
| 78     | 1,1,2,2-Tetrachloroethane   | 5.1               | 0.09 | 6.4               | 0.25 |
| 79     | Bromobenzene                | 7.5               | 0.14 | 4.3               | 0.18 |
| 80     | 1,2,3-Trichloropropane      | 29.2              | 0.44 | 31.2              | 1.07 |
| 81     | n-Propylbenzene             | 4.7               | 0.09 | 4.5               | 0.18 |
| 82     | 2-Chlorotoluene             | 8.5               | 0.15 | 4.5               | 0.16 |
| 83     | 1,3,5-Trimethylbenzene      | 4.3               | 0.08 | 3.6               | 0.14 |
| 84     | 4-Chlorotoluene             | 5.4               | 0.10 | 5.0               | 0.18 |
| 85     | tert-Butylbenzene           | 6.1               | 0.11 | 5.3               | 0.19 |
| 86     | 1,2,4-Trimethylbenzene      | 6.5               | 0.12 | 3.1               | 0.12 |
| 87     | sec-Butylbenzene            | 7.5               | 0.13 | 4.7               | 0.18 |
| 88     | 1,3-Dichlorobenzene         | 6.2               | 0.12 | 3.5               | 0.14 |
| 89     | Isopropyltoluene            | 7.8               | 0.13 | 2.8               | 0.10 |
| 90     | 1,4-Dichlorobenzene-d4 (IS) | NA                | NA   | NA                | NA   |
| 91     | 1,4-Dichlorobenzene         | 9.5               | 0.19 | 3.2               | 0.14 |
| 92     | n-Butylbenzene              | 10.5              | 0.20 | 5.3               | 0.21 |
| 93     | 1,2-Dichlorobenzene         | 8.1               | 0.15 | 5.9               | 0.25 |
| 94     | 1,2-Dibromo-3-chloropropane | 9.0               | 0.15 | 7.2               | 0.26 |
| 95     | Nitrobenzene                | 27.6              | 0.47 | 26.6              | 0.79 |
| 96     | 1,2,4-Trichlorobenzene      | 15.5              | 0.31 | 1.9               | 0.07 |
| 97     | Hexachlorobutadiene         | 16.5              | 0.34 | 5.6               | 0.25 |
| 98     | Naphthalene                 | 15.2              | 0.29 | 3.2               | 0.12 |
| 99     | 1,2,3-Trichlorobenzene      | 14.8              | 0.27 | 4.6               | 0.17 |



### Precision and Accuracy Study

A Precision and Accuracy (P&A) study was conducted to gauge the expected performance of the method at different concentration levels. Eight replicate aliquots each of the 10 and 50 µg/L standards were analyzed using the operating

conditions shown above. Table 5 lists the detailed results of the P&A study, reporting the average concentration reported for each compound (n = 8), the percent recovery, and the %RSD for all compounds at both concentration levels.

**Table 5:** Precision and Accuracy (P&A) Study Results

| Peak # | Compound Name               | Precision and Accuracy at 10 µg/L<br>n = 8 |          |       | Precision and Accuracy at 50 µg/L<br>n = 8 |          |       |
|--------|-----------------------------|--------------------------------------------|----------|-------|--------------------------------------------|----------|-------|
|        |                             | Mean Concentration (µg/L)                  | Recovery | % RSD | Mean Concentration (µg/L)                  | Recovery | % RSD |
| 1      | Dichlorodifluoromethane     | 7.8                                        | 78%      | 8.4   | 53.1                                       | 106%     | 13.6  |
| 2      | Chloromethane               | 9.2                                        | 92%      | 8.3   | 58.1                                       | 116%     | 8.2   |
| 3      | Vinyl Chloride              | 9.3                                        | 93%      | 8.5   | 59.9                                       | 120%     | 6.4   |
| 4      | Bromomethane                | 10.6                                       | 106%     | 9.2   | 66.9                                       | 134%     | 6.8   |
| 5      | Chloroethane                | 9.3                                        | 93%      | 4.1   | 56.9                                       | 114%     | 15.5  |
| 6      | Trichlorofluoromethane      | 8.8                                        | 88%      | 10.6  | 59.9                                       | 120%     | 6.3   |
| 7      | Diethylether                | 9.5                                        | 95%      | 1.5   | 55.1                                       | 110%     | 14.1  |
| 8      | 1,1,2-Trichlorofluoroethane | 9.7                                        | 97%      | 6.0   | 55.4                                       | 111%     | 8.4   |
| 9      | 1,1-Dichloroethene          | 9.9                                        | 99%      | 4.6   | 54.7                                       | 109%     | 11.7  |
| 10     | Acetone                     | 8.3                                        | 83%      | 9.1   | 59.6                                       | 119%     | 12.7  |
| 11     | Iodomethane                 | 8.7                                        | 87%      | 10.4  | 54.4                                       | 109%     | 13.7  |
| 12     | Carbon Disulfide            | 10.8                                       | 108%     | 16.2  | 55.7                                       | 111%     | 19.8  |
| 13     | Acetonitrile                | 10.6                                       | 106%     | 24.2  | 56.9                                       | 114%     | 12.1  |
| 14     | Methylene Chloride          | 9.8                                        | 98%      | 4.9   | 56.3                                       | 113%     | 16.7  |
| 15     | Tert Butyl Alcohol          | 43.8                                       | 88%      | 2.6   | 290.4                                      | 116%     | 14.2  |
| 16     | Acrylonitrile               | 9.3                                        | 93%      | 2.8   | 58.9                                       | 118%     | 18.0  |
| 17     | MTBE                        | 9.8                                        | 98%      | 8.0   | 55.3                                       | 111%     | 15.9  |
| 18     | trans-1,2-Dichloroethene    | 10.1                                       | 101%     | 4.3   | 55.8                                       | 112%     | 19.2  |
| 19     | Vinyl Acetate               | 9.7                                        | 97%      | 5.1   | 52.4                                       | 105%     | 6.7   |
| 20     | Isopropylether              | 9.9                                        | 99%      | 3.3   | 51.6                                       | 103%     | 7.6   |
| 21     | 1,1-Dichloroethane          | 10.0                                       | 100%     | 7.7   | 50.8                                       | 102%     | 6.8   |
| 22     | Ethyl Tert Butyl Ether      | 9.6                                        | 96%      | 2.7   | 53.2                                       | 106%     | 7.9   |
| 23     | 2-Butanone                  | 9.7                                        | 97%      | 5.5   | 52.8                                       | 106%     | 7.1   |
| 24     | Ethyl Acetate               | 9.8                                        | 98%      | 4.1   | 52.8                                       | 106%     | 6.5   |
| 25     | cis-1,2-Dichloroethene      | 10.2                                       | 102%     | 4.5   | 51.0                                       | 102%     | 6.9   |
| 26     | Propionitrile               | 9.6                                        | 96%      | 3.3   | 52.2                                       | 104%     | 7.8   |
| 27     | 2,2-Dichloropropane         | 11.8                                       | 118%     | 2.6   | 48.9                                       | 98%      | 5.4   |
| 28     | Methyl Acrylate             | 9.6                                        | 96%      | 3.9   | 52.3                                       | 105%     | 7.3   |
| 29     | Methacrylonitrile           | 9.5                                        | 95%      | 4.7   | 54.3                                       | 109%     | 7.0   |
| 30     | Bromochloromethane          | 10.2                                       | 102%     | 7.0   | 54.0                                       | 108%     | 7.6   |
| 31     | THF                         | 9.4                                        | 94%      | 5.6   | 53.5                                       | 107%     | 8.1   |
| 32     | Chloroform                  | 9.7                                        | 97%      | 3.3   | 54.3                                       | 109%     | 6.5   |
| 33     | Pentafluorobenzene (IS)     | NA                                         | NA       | NA    | NA                                         | NA       | NA    |
| 34     | Dibromofluoromethane (SURR) | 44.2                                       | 88%      | 2.0   | 48.6                                       | 97%      | 3.3   |
| 35     | 1,1,1-Trichloroethane       | 9.5                                        | 95%      | 6.3   | 56.4                                       | 113%     | 5.6   |
| 36     | 1,1-Dichloropropene         | 10.2                                       | 102%     | 5.4   | 51.5                                       | 103%     | 7.1   |
| 37     | Carbon Tetrachloride        | 9.4                                        | 94%      | 3.9   | 54.3                                       | 109%     | 5.6   |
| 38     | Methyl Acetate              | 9.5                                        | 95%      | 1.2   | 54.3                                       | 109%     | 6.9   |
| 39     | Benzene                     | 10.3                                       | 103%     | 4.3   | 50.2                                       | 100%     | 7.2   |
| 40     | 1,2-Dichloroethane          | 10.1                                       | 101%     | 14.2  | 58.5                                       | 117%     | 5.3   |
| 41     | Isobutyl Alcohol            | 8.8                                        | 88%      | 21.6  | 54.3                                       | 109%     | 6.9   |
| 42     | Tert Amyl Methyl Ether      | 9.6                                        | 96%      | 4.9   | 51.5                                       | 103%     | 7.7   |
| 43     | 1,4-Difluorobenzene (IS)    | NA                                         | NA       | NA    | NA                                         | NA       | NA    |
| 44     | Trichloroethene             | 10.8                                       | 108%     | 5.6   | 53.5                                       | 107%     | 4.8   |
| 45     | Methyl Methacrylate         | 10.1                                       | 101%     | 1.5   | 52.4                                       | 105%     | 4.7   |
| 46     | 1,2-Dichloropropane         | 10.2                                       | 102%     | 2.9   | 52.0                                       | 104%     | 5.0   |
| 47     | Propyl Acetate              | 10.1                                       | 101%     | 3.7   | 55.6                                       | 111%     | 4.9   |

Table 5: continued

| Peak # | Compound Name               | Precision and Accuracy at 10 µg/L<br>n = 8 |          |       | Precision and Accuracy at 50 µg/L<br>n = 8 |          |       |
|--------|-----------------------------|--------------------------------------------|----------|-------|--------------------------------------------|----------|-------|
|        |                             | Mean Concentration (µg/L)                  | Recovery | % RSD | Mean Concentration (µg/L)                  | Recovery | % RSD |
| 48     | 1,4-Dioxane                 | 15.3                                       | 76%      | 16.8  | 112.9                                      | 113%     | 10.4  |
| 49     | Dibromomethane              | 10.3                                       | 103%     | 2.6   | 57.4                                       | 115%     | 6.0   |
| 50     | Bromodichloromethane        | 10.3                                       | 103%     | 9.5   | 57.2                                       | 114%     | 4.9   |
| 51     | 2-Nitropropane              | 8.6                                        | 86%      | 8.5   | 54.7                                       | 109%     | 6.5   |
| 52     | 2-Chloroethylvinylether     | 8.7                                        | 87%      | 16.9  | 55.8                                       | 112%     | 6.7   |
| 53     | cis-1,3-Dichloropropane     | 10.5                                       | 105%     | 2.3   | 54.5                                       | 109%     | 3.9   |
| 54     | 4-Methyl-2-pentanone        | 10.0                                       | 100%     | 4.4   | 57.4                                       | 115%     | 4.3   |
| 55     | Toluene-d8 (SURR)           | 51.0                                       | 102%     | 3.8   | 52.0                                       | 104%     | 1.8   |
| 56     | Toluene                     | 10.5                                       | 105%     | 6.8   | 54.2                                       | 108%     | 4.7   |
| 57     | trans-1,3-Dichloropropene   | 10.5                                       | 105%     | 2.0   | 53.4                                       | 107%     | 4.2   |
| 58     | Ethyl Methacrylate          | 10.0                                       | 100%     | 3.2   | 52.3                                       | 105%     | 4.2   |
| 59     | 1,1,2-Trichloroethane       | 10.2                                       | 102%     | 7.6   | 55.6                                       | 111%     | 4.4   |
| 60     | Tetrachloroethane           | 11.3                                       | 113%     | 13.9  | 57.4                                       | 115%     | 5.3   |
| 61     | 1,3-Dichloropropane         | 10.2                                       | 102%     | 2.3   | 53.2                                       | 106%     | 4.1   |
| 62     | 2-Hexanone                  | 9.9                                        | 99%      | 4.2   | 56.1                                       | 112%     | 4.9   |
| 63     | Isopropyl Acetate           | 9.8                                        | 98%      | 5.1   | 55.1                                       | 110%     | 4.1   |
| 64     | Butyl Acetate               | 9.8                                        | 98%      | 3.7   | 55.7                                       | 111%     | 4.5   |
| 65     | Dibromochloromethane        | 10.2                                       | 102%     | 6.1   | 56.0                                       | 112%     | 4.6   |
| 66     | 1,2-Dibromoethane           | 10.0                                       | 100%     | 3.0   | 55.5                                       | 111%     | 4.6   |
| 67     | Chlorobenzene-d5 (IS)       | NA                                         | NA       | NA    | NA                                         | NA       | NA    |
| 68     | Chlorobenzene               | 10.4                                       | 104%     | 4.1   | 53.7                                       | 107%     | 4.6   |
| 69     | 1,1,1,2-Tetrachloroethane   | 10.5                                       | 105%     | 9.3   | 51.3                                       | 103%     | 4.4   |
| 70     | Ethylbenzene                | 10.7                                       | 107%     | 10.6  | 54.0                                       | 108%     | 4.5   |
| 71     | Xylene (m&p)                | 21.5                                       | 107%     | 10.6  | 111.5                                      | 111%     | 4.8   |
| 72     | Xylene (o)                  | 10.5                                       | 105%     | 10.4  | 54.1                                       | 108%     | 4.5   |
| 73     | Styrene                     | 9.9                                        | 99%      | 5.2   | 53.3                                       | 107%     | 4.6   |
| 74     | n-Amyl Acetate              | 9.9                                        | 99%      | 6.6   | 55.9                                       | 112%     | 4.7   |
| 75     | Bromoform                   | 9.9                                        | 99%      | 5.2   | 57.6                                       | 115%     | 5.2   |
| 76     | Isopropylbenzene            | 9.7                                        | 97%      | 6.8   | 55.8                                       | 112%     | 5.0   |
| 77     | BFB(SURR)                   | 49.2                                       | 98%      | 2.0   | 49.2                                       | 98%      | 1.3   |
| 78     | 1,1,2,2-Tetrachloroethane   | 9.5                                        | 95%      | 5.0   | 54.4                                       | 109%     | 4.2   |
| 79     | Bromobenzene                | 10.2                                       | 102%     | 3.1   | 54.0                                       | 108%     | 4.6   |
| 80     | 1,2,3-Trichloropropane      | 9.6                                        | 96%      | 6.3   | 52.2                                       | 104%     | 4.1   |
| 81     | n-Propylbenzene             | 10.0                                       | 100%     | 5.9   | 55.8                                       | 112%     | 5.3   |
| 82     | 2-Chlorotoluene             | 10.3                                       | 103%     | 4.2   | 52.9                                       | 106%     | 4.4   |
| 83     | 1,3,5-Trimethylbenzene      | 9.7                                        | 97%      | 6.2   | 54.8                                       | 110%     | 4.8   |
| 84     | 4-Chlorotoluene             | 10.2                                       | 102%     | 3.6   | 52.1                                       | 104%     | 5.1   |
| 85     | tert-Butylbenzene           | 10.0                                       | 100%     | 5.1   | 53.2                                       | 106%     | 4.4   |
| 86     | 1,2,4-Trimethylbenzene      | 9.6                                        | 96%      | 6.3   | 53.4                                       | 107%     | 4.9   |
| 87     | sec-Butylbenzene            | 10.7                                       | 107%     | 4.4   | 52.9                                       | 106%     | 5.3   |
| 88     | 1,3-Dichlorobenzene         | 10.2                                       | 102%     | 4.7   | 50.9                                       | 102%     | 4.3   |
| 89     | Isopropyltoluene            | 10.0                                       | 100%     | 5.1   | 51.5                                       | 103%     | 5.5   |
| 90     | 1,4-Dichlorobenzene-d4 (IS) | NA                                         | NA       | NA    | NA                                         | NA       | NA    |
| 91     | 1,4-Dichlorobenzene         | 10.2                                       | 102%     | 4.2   | 54.0                                       | 108%     | 4.4   |
| 92     | n-Butylbenzene              | 10.2                                       | 102%     | 5.5   | 55.8                                       | 112%     | 5.7   |
| 93     | 1,2-Dichlorobenzene         | 10.4                                       | 104%     | 2.9   | 53.9                                       | 108%     | 4.0   |
| 94     | 1,2-Dibromo-3-chloropropane | 9.7                                        | 97%      | 3.2   | 56.5                                       | 113%     | 5.8   |
| 95     | Nitrobenzene                | 10.0                                       | 100%     | 7.2   | 48.0                                       | 96%      | 7.2   |
| 96     | 1,2,4-Trichlorobenzene      | 10.3                                       | 103%     | 4.6   | 55.5                                       | 111%     | 4.4   |
| 97     | Hexachlorobutadiene         | 11.0                                       | 110%     | 5.7   | 60.4                                       | 121%     | 6.0   |
| 98     | Naphthalene                 | 10.4                                       | 104%     | 3.2   | 51.0                                       | 102%     | 3.3   |
| 99     | 1,2,3-Trichlorobenzene      | 10.3                                       | 103%     | 4.7   | 54.3                                       | 109%     | 3.9   |

Internal standard response remained stable during the entire study at  $\leq 8\%$ , and Surrogate recoveries fell within the 80 to 120 % method criteria for all

analyses. IS and SURR results from a representative 12-hour sequence are shown in Figures 4 and 5, respectively.




Figure 4: Internal Standard Response over a Representative 12-Hour Tune Period during This Study




Figure 5: Surrogate Standard Recoveries over a Representative 12-hour Tune Period during This Study

### ■ Summary and Conclusion

The instrumentation and analytical conditions shown here have been demonstrated to provide outstanding results for US EPA Method 8260C, far exceeding all existing method criteria. The narrow-bore capillary column and Constant Linear Velocity mode provided outstanding chromatography for all compounds, including the early-eluting light gases, in less than 13 minutes. Calibration curves over

narrow or wide ranges can be used to meet the project or contract needs. MDLs are easily well below 0.5 µg/L for all compounds when measured at either 0.5 or 1.0 µg/L, and a high level of precision and accuracy can be expected across any calibration range, particularly at the lower concentrations.

### ■ References

1. US EPA Method 8260C, VOLATILE ORGANIC COMPOUNDS BY GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS), Revision 3, August 2006.
2. Shimadzu Guide to BFB Tuning for Analysis of Volatile Organic Compounds, GCMS Application News No. GCMS-1405.
3. Definition and Procedure for the Determination of the Method Detection Limit. *Fed. Regist.* **1984**. 49 (209), Appendix B to Part 136.
4. Shimadzu Guide to US EPA Method 624 for Analysis of Volatile Organic Compounds in Wastewater, GCMS Application News No. GCMS-1406.

### ■ Ordering Information for Replacement Consumables

The consumables used in this application note are shown in the table below. To order any of these items please contact Customer Service at Shimadzu Scientific Instruments at 1-800-477-1227, or visit our web store at <http://store.shimadzu.com>.

| Part Number     | Item Name                                      | Photo                                                                               | Item Description                                                                              |
|-----------------|------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| 221-75962-30    | Capillary Column                               |  | SH-RXI-624 SIL MS, 30 m x 0.25 mm x 1.40 µm                                                   |
| 220-90784-10    | Inlet Liner                                    |  | Low-volume Liner, 1.0 mm ID, Straight, 5/Pkg (Restek)                                         |
| 220-94775-10    | VOA Tuning Compound                            |  | 1-Bromo-4-fluorobenzene (BFB), 5,000 µg/mL in P&T MeOH, 1 mL/ampule, CAS #: 460-00-4 (Restek) |
| 220-94775-14    | 502.2 Calibration Mix #1, Gases (6 Components) |  | 2,000 µg/mL each in P&T MeOH, 1 mL/ampule (Restek)                                            |
| Restek PN 30633 | 8260 MegaMix Calibration Mix (76 components)   |  | 2,000 µg/mL each in P&T MeOH, 1 mL/ampule (Restek)                                            |
| Restek PN 30465 | California Oxygenates Mix (5 components)       |  | 2,000 µg/mL each in P&T MeOH, 1 mL/ampule (Restek) (TBA at 10,000 µg/mL)                      |

|                 |                                                 |                                                                                     |                                                                                           |
|-----------------|-------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Restek PN 32087 | 1,4-Dioxane                                     |    | 2,000 µg/mL each in P&T MeOH, 1 mL/ampule (Restek)                                        |
| Restek PN 30006 | VOA Calibration Mix #1 (ketones) (4 components) |    | 5,000 µg/mL each in P&T MeOH, 1 mL/ampule (Restek)                                        |
| Restek PN 30489 | 8260 Acetate Mix                                |    | 2,000 µg/mL each in P&T MeOH, 1 mL/ampule (Restek)                                        |
| Restek PN 30265 | 2-CLEVE                                         |    | 2,000 µg/mL each in P&T MeOH, 1 mL/ampule (Restek)                                        |
| Restek PN 30073 | 8260 Surrogate Mix (3 components)               |    | 2,500 µg/mL each in P&T MeOH, 1 mL/ampule (Restek)                                        |
| Restek PN 30074 | 8260 Internal Standard Mix (4 components)       |    | 2,500 µg/mL each in P&T MeOH, 1 mL/ampule (Restek)                                        |
| 220-94775-00    | n-Alkane Mix                                    |   | AART Standard for determination of Retention Index (RI) and Retention Times (RT)          |
| 220-94594-00    | Electronic Flow Meter                           |  | ProFLOW 6000 Electronic Flow Meter (Restek)                                               |
| 220-94594-01    | Electronic Leak Detector                        |  | Electronic Leak Detector With Hard-Sided Carrying Case and Universal Charger Set (Restek) |



First Edition: June 2015

**SHIMADZU Corporation**  
[www.shimadzu.com/an/](http://www.shimadzu.com/an/)

**SHIMADZU SCIENTIFIC INSTRUMENTS**  
7102 Riverwood Drive, Columbia, MD 21046, USA  
Phone: 800-477-1227/410-381-1227, Fax: 410-381-1222  
URL: [www.ssi.shimadzu.com](http://www.ssi.shimadzu.com)

For Research Use Only. Not for use in diagnostic procedures.  
The contents of this publication are provided to you "as is" without warranty of any kind, and are subject to change without notice. Shimadzu does not assume any responsibility or liability for any damage, whether direct or indirect, relating to the use of this publication.

## Related Products

Some products may be updated to newer models.



### > GCMS-QP2010 SE

Gas Chromatograph Mass Spectrometer

## Related Solutions

> Price Inquiry

> Product Inquiry

> Technical Service /  
Support Inquiry

> Other Inquiry